INDEX TO VOLUME XLVI

AUTHORS

Page

Allis, Marian E. (*see* D. F. Houston) . 527
Anderson, R. A. (*see* H. W. Gardner) 626
Anderson, R. L. (*see* L. C. Wang) . . . 656
Anh, N'G. X. (*see* R. Drapron) 647

Barmore, M. A. (*see* J. S. Kitterman) 273, 281
Bean, Maura M., Elizabeth Erman, and D. K. Mecham. Baking characteristics of high-protein fractions from air-classified Kansas HRW wheats 27
———, ———, **and** ———. Baking characteristics of low-protein fractions from air-classified Kansas HRW wheats . . 35
Bhattacharya, K. R. Breakage of rice during milling, and effect of parboiling 478
Bhatty, R. S. Note on the development of proteolytic enzymes in germinating barley . . . 74
———. Erratum for Vol. 46, p. 74 188
Biely, J. (*see* S. El-Lakany) 301
Birch, G. G. (*see* M. S. A. Kheiri) . . . 400
Black, L. T., G. G. Spyres, and O. L. Brekke. Effects of storage condition on oil analysis of milled corn fractions by gas-liquid chromatography 63
Bollenbeck, G. N., R. S. Golik, and F. W. Parrish. Distribution of hydroxyethyl groups in hydroxyethyl starch 304
Booth, A. N. (*see* C. H. VanEtten) . . 145
Brekke, O. L., and W. F. Kwolek. Corn dry-milling: cold-tempering and degermination of corn of various initial moisture contents . . 545
———(*see* L. T. Black) 63
Bulow, G. A. (*see* T. R. Thomson) . . 310
Burmeister, H. R. (*see* Odette L. Shotwell) 446, 454
Burns, E. E. (*see* W. K. Nip) 490
Burns, R. (*see* P. Haytko) 177
Bushuk, W. (*see* E. Kaminski) 317

Page

Campbell, J. (*see* F. K. Shoup) 164
Cantagalli, P.. (*see* S. E. Piazzi) 642
Carpenter, K. J. (*see* C. K. Milner) . . 425
Catsimpoolas, N. A note on the proposal of an immunochemical system of reference and nomenclature for the major soybean globulins 369
———, **C. Ekenstam, and E. W. Meyer.** Separation of soybean whey proteins by isoelectric focusing . . . 357
———, **D. A. Rogers, and** ———. Immunochemical and disc electrophoresis study of soybean trypsin inhibitor SBTIA-2 136
———(et al.). Erratum for Vol. 46, p. 357 559
Christianson, D. D., H. C. Nielsen, U. Khoo, M. J. Wolf, and J. S. Wall. Isolation and chemical composition of protein bodies and matrix proteins in corn endosperm 372
Cole, E. W. Some physiocochemical properties of wheat flour hemicellulose in solution 382
Commerford, J. D., and B. L. Scallet. Reactions of oligosaccharides. II. Dextrose equivalents 172
Cowan, J. C. (*see* L. C. Wang) 468

Dahle, L. K. (*see* P. R. Murthy) 463
Daxenbichler, M. E. (*see* C. H. VanEtten) 145
De Stefanis, V. A. (*see* J. G. Ponte, Jr.) 325
Deyoe, C. W. (*see* F. K. Shoup) 164
Donelson, J. R., and W. T. Yamazaki. Note on the application of the Donelson-Yamazaki damaged-starch procedure to high-damage wheat flour and starch 567
———, **and** ———. Note on the enzymatic determination of starch in corn starch and corn meal 568
Drapron, R., N'G. X. Anh, B. Launay, and A. Guilbot. Development and distribution of wheat lipase activity during the course of germination 647

Ekenstam, C. (*see* N. Catsimpoolas) . 357
Eldridge, A. C., and W. J. Wolf. Crystalline saponins from soybean protein 344
_____, and _____. Polyacrylamide-gel electrophoresis of reduced and alkylated soybean trypsin inhibitors 470
El-Lakany, S., J. Biely, and B. E. March. Improved nutrient utilization from wheat subjected to autoclaving and freezing 301
Erman, Elizabeth. (*see* Maura M. Bean) 27, 35
Evers, A. D. (*see* N. L. Kent) 293

Farrand, E. A. Starch damage and alpha-amylase as bases for mathematical models relating to flour water-absorption 103
Fegol, K. S. W. (*see* P. C. Williams) . . 56
Fellers, D. A. (*see* R. E. Ferrel) 614
Ferrel, R. E., D. A. Fellers, and A. D. Shepherd. Determination of free lysine and methionine in amino acid-fortified wheat 614
Finney, K. F. (*see* R. C. Hoseney) . . 117, 126, 606
_____ (*see* Y. Pomeranz) 495, 503, 512
_____ (*see* M. D. Shogren) . . . 93
Franks, Onolee J., Mary E. Zabik, and Kaye Funk. Angel cakes using frozen, foam-spray-dried, freeze-dried, and spray-dried albumen 349
Fukushima, D. Denaturation of soybean proteins by organic solvents 156
_____. Enzymatic hydrolysis of alcohol-denatured soybean proteins 405
Funk, Kaye (*see* Onolee J. Franks) . . 349

Gagne, W. E. (*see* C. H. VanEtten) . . 145
García-Faure, R., J. G. Merck-Luengo, and F. García-Olmedo. Detection of flour or farina from *Triticum aestivum* in macaroni, by starch-gel electrophoresis of water-soluble proteins 621
García-Olmedo, F. (*see* R. Garcia-Faure) 621
Gardner, H. W., G. E. Inglett, and R. A. Anderson. Inactivation of peroxidase as a function of corn processing 626
Gilles, K. A. (*see* D. E. Walsh) 7
Golik, R. S. (*see* G. N. Bollenback) . 304
Grant, D. R. (*see* C. C. Wang) 537
Green, J. E. (*see* S. Rogols) 181
Guilbot, A. (*see* R. Drapron) 647

Hackler, L. R. (*see* W. F. Wilkens) . . 391
Hall, H. H. (*see* Odette L. Shotwell) . 446, 454
Hammerle, O. A. (*see* W. H. Kwee) . . 78
Haytko, P., R. Burns, and C. E. Weill. Thin-layer chromatography of malto-oligosaccharides 177
Hepburn, F. N. (*see* E. W. Toepfer) . 560
Hesseltine, C. W. (*see* Odette L. Shotwell) 446, 454
Hewston, Elizabeth M. (*see* E. W. Toepfer) 560
Hilt, Mary A. (*see* S. Rogols) 181
Honig, D. H. (*see* D. J. Sessa) 675
Hoseney, R. C., K. F. Finney, M. D. Shogren, and Y. Pomeranz. Functional (breadmaking) and biochemical properties of wheat flour components. II. Role of water-solubles 117
_____, _____, _____, and _____. Functional (breadmaking) and biochemical properties of wheat flour components. III. Characterization of gluten protein fractions obtained by ultracentrifugation 126
_____, _____, and Y. Pomeranz. Functional (breadmaking) and biochemical properties of wheat flour components. V.. Role of total extractable lipids 606
_____, _____, _____, and M. D. Shogren. Functional (breadmaking) and biochemical properties of wheat flour components. IV. Gluten protein fractionation by solubilizing in 70% ethyl alcohol and in dilute lactic acid 495

———— (*see* M. D. Shogren) . . . 93

Houston, D. F., Marian E. Allis, and G. O. Kohler. Amino acid composition of rice and rice by-products 527

Hunter, I. R., M. K. Walden, J. R. Scherer, and R. E. Lundin. Preparation and properties of 1,4,5,6-Tetrahydro-2-acetopyridine, a cracker-odor constituent of bread aroma 189

Inglett, G. E. (*see* H. W. Gardner) . . 626

Inkpen, J. A., and F. W. Quackenbush. Extractable and "bound" fatty acids in wheat and wheat products 580

Irvine, G. N. (*see* R. R. Matsuo) 1

———— (*see* R. Tkachuk) 206

Kakade, M. L., Nancy Simons, and I. E. Liener. An evaluation of natural vs. synthetic substrates for measuring the antitryptic activity of soybean samples 518

Kaminski, E., and W. Bushuk. Wheat proteases. I. Separation and detection by starch-gel electrophoresis 317

Kennedy, B. W. Prevalence and detection of lipolytic microorganisms in soybean seeds . . 70

Kent, N. L., and A. D. Evers. Variation in protein composition within the endosperm of hard wheat 293

Kheiri, M. S. A., and G. G. Birch. Gas-chromatographic determination of levoglucosan in corn syrups and its significance in assessing their method of manufacture 400

Khoo, U. (*see* D. D. Christianson) . . 372

———— (*see* M. J. Wolf) 253

Kitterman, J. S., and M. A. Barmore. A modified micro sedimentation test for screening early-generation wheat selections 273

————, **and** ————. A note on some protein, ash, viscosity, and damaged-starch relationships in the sedimentation test 281

————, **and** ————. Erratum for Vol. 46, p. 273 418

Kloek, M. (*see* P. W. Voisey) 196

Knipfel, J. E. Comparative protein quality of triticale, wheat, and rye . 313

Kohler, G. O. (*see* D. F. Houston) . . 527

———— (*see* Rhoda Palter) . . 22

Kruger, J. E., and R. Tkachuk. Wheat alpha-amylases. I. Isolation 219

Kwee, W. H., Virginia D. Sidwell, R. C. Wiley, and O. A. Hammerle. Quality and nutritive value of pasta made from rice, corn, soya, and tapioca enriched with fish protein concentrate 78

Kwolek, W. F. (*see* O. L. Brekke) 545

———— (*see* Odette L. Shotwell) . 446, 454

Lai, T-S. (*see* C. C. Lee) 598

Launay, B. (*see* R. Drapron) 647

Lee, C. C., and T-S. Lai. Studies with radioactive tracers. XV. Some observations on the sulfhydryl groups in dough 598

Lehmann, Joanna. (*see* H. T. Slover) 635

Lichtenstein, H. (*see* Ruth H. Matthews) 14

Liener, I. E. (*see* M. L. Kakade) . . . 518

Loper, G. L. (*see* T. R. Thomson) . . 310

Lundin, R. E. (*see* I. R. Hunter) . . . 189

March, B. E. (*see* S. El-Lakany) . . . 301

Matsuo, R. R., and G. N. Irvine. Spaghetti tenderness testing apparatus 1

Matthews, Ruth H., G. Richardson, and H. Lichtenstein. Effect of lysine fortification on quality of chapatties and yeast bread 14

Medcalf, D. G. (et al.). Erratum for Vol. 45, p. 539 188

Merck-Luengo, J. G. (*see* R. Garcia-Faure) 621

Meyer, E. W. (*see* N. Catsimpoolas) . 136, 357

Mecham, D. K. (*see* Maura M. Bean) 27, 35

Miller, H. (*see* P. W. Voisey) 196

Milner, C. K., and K. J. Carpenter. Effect of wet heat-processing on the nutritive value of whole-wheat protein 425

Mohsenin, N. N. (*see* Leora Shelef) . 242

Muller, H. G. Application of the statistical theory of rubber elasticity to gluten and dough ... 443
Murthy, P. R., and L. K. Dahle. Studies on a simplified dough system composed of gliadin, glutenin, and starch 463

Nielsen, H. C. (*see* D. D. Christianson) 372
Nip, W. K., and E. E. Burns. Pigment characterization in grain sorghum. I. Red varieties 490

Palter, Rhoda, and G. O. Kohler. Survey hydrolysis procedure for lysine analysis 22
Parrish, D. B. (*see* F. K. Shoup) ... 164
Parrish, F. W. (*see* G. N. Bollenback) 304
Paulis, J. W., and J. S. Wall. Albumins and globulins in extracts of corn grain parts 263
Piazzi, S. E., and P. Cantagalli. Immunochemical analysis of soluble proteins of wheat 642
Polansky, Marilyn M., and E. W. Toepfer. Nutrient composition of selected wheats and wheat products. IV. Vitamin B-6 components 664
Pomeranz, Y., M. D. Shogren, and K. F. Finney. Improving breadmaking properties with glycolipids. I. Improving soy products with sucroesters 503
———, ———, **and** ———. Improving breadmaking properties with glycolipids. II. Improving various protein-enriched products 512
——— (*see* R. C. Hoseney) .. 117, 126, 495, 606
Ponte, J. G., Jr., and V. A. De Stefanis. Note on the separation and baking properties of polar and nonpolar wheat flour lipids 325

Quackenbush, F. W. (*see* J. A. Inkpen) 580

Rackis, J. J. (*see* D. J. Sessa) 675
Reeve, R. M., and H. G. Walker, Jr. The microscopic structure of popped cereals 227
Richardson, G. (*see* Ruth H. Matthews) 14
Robbins, D. J. (*see* C. H. VanEtten) . 145
Rogers, D. A. (*see* N. Catsimpoolas) . 136
Rogols, S., J. E. Green, and Mary A. Hilt. Starch-complexed lipids: differences in extraction with various solvents 181
Rooney, L. W., and R. D. Sullins. A laboratory method for milling small samples of sorghum grain 486

Sastry, L. V. S., and T. K. Virupaksha. Alcohol-soluble proteins of grain sorghum 284
Saunders, R. M., and H. G. Walker, Jr. The sugars of wheat bran 85
Scallet, B. L. (*see* J. D. Commerford) 172
Scherer, J. R. (*see* I. R. Hunter) ... 189
Schroeder, H. W. (*see* M. Ulloa-Sosa) 397
Seckinger, H. L. (*see* M. J. Wolf) ... 253
Sessa, D. J., D. H. Honig, and J. J. Rackis. Lipid oxidation in full-fat and defatted soybean flakes as related to soybean flavor 675
Shannon, Gail M. (*see* Odette L. Shotwell) 446, 454
Shelef, Leora, and N. N. Mohsenin. Effect of moisture content on mechanical properties of shelled corn 242
Shepherd, A. D. (*see* R. E. Ferrel) .. 614
Shogren, M. D., K. F. Finney, and R. C. Hoseney. Functional (breadmaking) and biochemical properties of wheat flour components. I. Solubilizing gluten and flour protein 93
——— (*see* R. C. Hoseney) .. 117, 126
——— (*see* Y. Pomeranz) ... 495, 503, 512
Shotwell, Odette L., C. W. Hesseltine, H. R. Burmeister, W. F. Kwolek, Gail M. Shannon, and H. H. Hall. Survey of cereal grains and soybeans for the presence of aflatoxin. I. Wheat, grain sorghum, and oats 446

———, ———, ———, ———, ———, and ———. Survey of cereal grains and soybeans for the presence of aflatoxin. II. Corn and soybeans .. 454

Shoup, F. K., C. W. Deyoe, J. Campbell, and D. B. Parrish. Amino acid composition and nutritional value of milled sorghum grain products 164

Shuey, W. C. (*see* D. E. Walsh) 7

Sidwell, Virginia D. (*see* W. H. Kwee) 78

Simons, Nancy. (*see* M. L. Kakade) . 518

Slover, H. T., Joanna Lehmann, and R. J. Valis. Nutrient composition of selected wheats and wheat products. III. Tocopherols 635

Smith, A. K. (*see* L. C. Wang) 468

Sollars, W. F. Flour constituents affecting MacMichael viscosity ... 44

Sullins, R. D. (*see* L. W. Rooney) .. 486

Spyres, G. G. (*see* L. T. Black) 63

Takeuchi, I. Interaction between protein and starch 570

Tamura, T. (*see* W. J. Wolf) 331

Thomson, T. R., G. L. Loper, and G. A. Bulow. Note on free radicals in starch derivatives 310

Tipples, K. H. A viscometric method for measuring alpha-amylase activity in small samples of wheat and flour 589

Tkachuk, R. Communication to the Editor: Involvement of sulfhydryl peptides in the improver reaction . 203

———. Nitrogen-to-protein conversion factors for cereals and oilseed meals 419

———, **and G. N. Irvine.** Amino acid compositions of cereals and oilseed meals 206

———(*see* J. E. Kruger) 219

Toepfer, E. W., Elizabeth M. Hewston, F. N. Hepburn, and J. H. Tulloss. Nutrient composition of selected wheats and wheat products. I. Description of samples 560

———(*see* Marilyn M. Polansky) 664

Tsen, C. C. Effects of oxidizing and reducing agents on changes of flour proteins during dough mixing ... 435

Tulloss, J. H. (*see* E. W. Toepfer) .. 560

Ulloa-Sosa, M., and H. W. Schroeder. Note on aflatoxin decomposition in the process of making tortillas from corn 397

Valis, R. J. (*see* H. T. Slover) 635

VanEtten, C. H., W. E. Gagne, D. J. Robbins, A. N. Booth, M. E. Daxenbichler, and I. A. Wolff. Biological evaluation of crambe seed meals and derived products by rat feeding 145

———(et al.). Erratum for Vol. 46, p. 145 329

Virupaksha, T. K. (*see* L. V. S. Sastry) 284

Voisey, P. W., H. Miller, and M. Kloek. The Ottawa electronic recording dough mixer. VI. Differences between mixing bowls . 196

Walden, M. K. (*see* I. R. Hunter) ... 189

Walker, H. G., Jr. (*see* R. M. Reeve) . 227

———(*see* R. M. Saunders) .. 85

Wall, J. S. (*see* D. D. Christianson) . 372

———(*see* J. W. Paulis) 263

Walsh, D. E., K. A. Gilles, and W. C. Shuey. Color determination of spaghetti by the tristimulus method 7

Wang, C. C., and D. R. Grant. The proteolytic enzymes in wheat flour 537

Wang, L. C., and R. L. Anderson. Purification and properties of soybean allantoinase 656

———, **A. K. Smith, and J. C. Cowan.** A note on the detection of leucoanthocyanins in defatted soybean flakes 468

Weill, C. E. (*see* P. Haytko) 177

Wiley, R. C. (*see* W. H. Kwee) 78

Wilkens, W. F., and L. R. Hackler. Effect of processing conditions on the composition of soy milk 391

Williams, P. C., and K. S. W. Fegol. Colorimetric determination of damaged starch in flour 56

Wolf, M. J., U. Khoo, and H. L. Seckinger. Distribution and subcellular structure of endosperm protein in varieties of ordinary and high-lysine maize 253

(*see* D. D. Christianson) 372

Wolf, W. J., and T. Tamura.
Heat-denaturation of soybean 11S protein 331
_____ (*see* A. C. Eldridge) .. 344, 470
Wolff, I. A. (*see* C. H. VanEtten) .. 145
Yamazaki, W. T. (*see* J. R. Donelson) 567, 568
Zabik, Mary E. (*see* Onolee J. Franks) 349

SUBJECTS

Page

Absorption, flour; mathematical models for; starch damage and alpha-amylase as bases (Farrand) . 103
Acid(s)
Amino, *see* **Amino acids**
Fatty, *see* **Fatty acids**
Aflatoxin(s), *see* **Mycotoxins**
Aggregation of soybean 11S protein by heat (Wolf, Tamura) 331
Albumen; for angel cake evaluation (Franks et al.) 349
Albumins of corn in extracts of grain parts (Paulis, Wall) 263
Alcohols, denaturing soybean proteins, and mechanism (Fukushima) 156
Amino acids
In blood plasma, vs. protein quality of triticale, wheat, rye (Knipfel) . 313
In cereals and oilseed meals (Tkachuk, Irvine) 206
In corn albumins and globulins (Paulis, Wall) 263
Lysine, *see* main entry
Methionine (free); detn. in amino acid-fortified wheat (Ferrel et al.) 614
In rice and by-products (Houston et al.) 527
In sorghum grain milled products (Shoup et al.) 164
In wheat; availability (Milner, Carpenter) 425
In wheat endosperm, distribution (Kent, Evers) 293
Amylase, alpha-
Isolation (Kruger, Tkachuk) 219
And starch damage; bases for mathematical models for flour absorption (Farrand) 103
Viscometric method for measuring activity in small samples of wheat and flour (Tipples) 589
Anthocyaninins in sorghum (Nip, Burns) 490

Page

Apparatus
For breadmaking with 10 g. flour (Shogren et al.) 93
For dough and gluten rheology study (Muller) 443
Recording dough mixer; differences between bowls (Voisey et al.) .. 196
For spaghetti tenderness test (Matsuo, Irvine) 1
For testing mechanical properties of corn kernels (Shelef, Mohsenin) 242
Ash
In air-classified fractions, high-protein HRW wheat (Bean et al.) 27
In flour; vs. damaged starch, protein, viscosity, in sedimentation test (Kitterman, Barmore) 281
Atta, *see under* **Flour**
Autoclaving
Of wheat; improving nutritional availability for chicks (El-Lakany et al.) 301

Biological value, *see* **Nutritive value**
Baked products; doughnuts, rolls; nutrient composition study (Toepfer et al.) 560
Barley
Amino acid composition (Tkachuk, Irvine) 206
Lysine in; survey hydrolysis procedure for analysis (Palter, Kohler) 22
Popped, micro structure (Reeve, Walker) 227
Proteolytic enzymes in (germinating); development (Bhatty) 74

Bleaching of flour with chlorine (laboratory); air-classified fractions, low-protein (Bean et al.) 35
Bran, wheat; carbohydrates (sugars) of (Saunders, Walker) 85
Bread and breadmaking
Chapatties
effect of lysine fortification on quality (Matthews et al.) 14
nutritive value study (Milner, Carpenter) 425
Flour for; functional and biochemical properties of components (Shogren et al.) ... 93
Flour lipids; baking properties (Ponte, De Stefanis) 325
Glycolipids improving properties (Pomeranz et al.) 512
Method with 10 g. flour (Shogren et al.) 93
Nutrient composition study (Toepfer et al.) 560
Protein-enriched products for, improved with glycolipids (Pomeranz et al.) 512
Role of gliadin and glutenin protein fractions (Hoseney et al.) 495
Role of gluten fractions (Hoseney et al.) 126
Role of total extractable lipids (Hoseney et al.) 606
Role of water-soluble flour fractions (Hoseney et al.) 117
Soy products for, improved with glycolipids (Pomeranz et al.) ... 503
Sulfhydryls in (Lee, Lai) 598
Yeast bread, effect of lysine fortification on quality (Matthews et al.) 14
Buckwheat; amino acids in (Tkachuk. Irvine) 206
Bulgur; nutritive value (Milner, Carpenter) 425

Cake and cakemaking
Angel; use of dried albumen in (Franks et al.) 349
Baking properties of air-classified low-protein flour fractions (Bean et al.) 35
Nutrient composition study (Toepfer et al.) 560
Carbohydrates
Oligosaccharides; dextrose equivalents and reducing power of (Commerford, Scallet) 172
Oligosaccharides, malto-; chromatography of (Haytko et al.) 177
Polysaccharides; hemicelluloses of flour (Cole) 382
Sugars in wheat bran (Saunders, Walker) 85
Centrifugation, zonal; method for isolation of subcellular proteins of corn endosperm (Christianson et al.) 372
Cereals; nitrogen-to-protein conversion factor (Tkachuk) ... 419
Cereals, ready-to-eat; nutrient composition study (Toepfer et al.) 560
Cereals and cereal products; amino acids in (Tkachuk, Irvine) 206
Charges of protein and starch, by colloid titration method (Takeuchi) 570

Chromatography
Corn syrup characterized by (Kheiri, Birch) 400
For iodoacetic acid study of flour improver action (Tkachuk) 203
Isolation of wheat alpha-amylases (Kruger, Tkachuk) 219
Of lipids (starch-complexed); extraction differences (Rogols et al.) 181
Of malto-oligosaccharides (Haytko et al.) 177
For oil analysis of milled corn fractions vs. storage condition (Black et al.) 63
For pigments in sorghum (Nip, Burns) 490
For sepn. of flour lipids (Ponte, De Stefanis) 325
For soybean allantoinase, purification (Wang, Anderson) .. 656
For sugars of wheat bran (Saunders, Walker) 85

Color
Of spaghetti; detn. by tristimulus method (Walsh et al.) 7
Of starch (damaged) in flour; colorimetric detn. (Williams, Fegol) 56
Colorimetry; for damaged starch in flour (Williams, Fegol) 56
Cookie flour; baking properties of air-classified low-protein flour fractions (Bean et al.) 35

Corn
Aflatoxin in; survey for presence (Shotwell et al.) 454

Dry-milling, *see* **Corn dry-milling**
Endosperm of
isolation and composition of protein bodies and matrix proteins (Christianson et al.) .. 372
(horny) mechanical properties of (Shelef, Mohsenin) 242
Enzymatic detn. of starch in (Donelson, Yamazaki) 568
Flour, for FPC-enriched pasta; study of cooking quality and nutritive value (Kwee et al.) 78
Meal; enzymatic detn. of starch in (Donelson, Yamazaki) 568
Moisture content of (Brekke, Kwolek) 545
Popcorn (popped); micro structure of (Reeve, Walker) 227
Proteins of (albumins and globulins) in extracts of grain parts (Paulis, Wall) 263
Rheological properties; stress-strain curve (Shelef, Mohsenin) 242
Shelled; mechanical properties of, vs. moisture (Shelef, Mohsenin) . 242
Storage condition vs. oil analysis of milled fractions (Black et al.) ... 63
Corn dry-milling
Cold-tempering and degermination (Brekke, Kwolek) 545
Inactivation of peroxidase, function of processing (Gardner et al.) ... 626
Crackers; nutrient composition study (Toepfer et al.) 560
Cracker-odor constituent of bread aroma; prepn. and properties (Hunter et al.) 189
Crambe seed meal, *see* **Millfeeds**
Cysteinylglycine; peptide isolated from wheat germ (Tkachuk) ... 203

Damaged starch, *see* **Starch,** Damage(d)
Degermination of corn at various moisture contents (Brekke, Kwolek) 545
Dextrose equivalents of oligosaccharides (Commerford, Scallet) 172
Dough(s)
From gliadin, glutenin, starch; effect of NEMI and dithiothreitol (Murthy, Dahle) 463
Mixing of
effects of oxidizing and reducing agents on changes of flour proteins (Tsen) 435
recording mixer; differences between bowls (Voisey et al.) . 196
SH groups in; study with NEMI-1-^{14}C; changes during mixing (Lee, Lai) 598

Elasticity; statistical theory of, applied to gluten and dough (Muller) 443
Electrolytic conductance of protein and starch (Takeuchi) 570
Electrophoresis
Of alcohol-soluble protein (kafirin) of sorghum (Sastry, Virupaksha) . 284
To characterize:
corn proteins isolated by zonal centrifugation (Christianson et al.) 372
gluten fractions (Hoseney et al.) 126
water-soluble components of flour (Hoseney et al.) 117
Of corn proteins (Paulis, Wall) .. 263
For detn. of common wheat in macaroni (García-Faure et al.) .. 621
For proteases of wheat; sepn. and detection (Kaminski, Bushuk) .. 317
Of protein fraction obtained from 70% ethyl alcohol and dilute lactic acid (Hoseney et al.) 495
For sepn. of soybean whey proteins (isoelectric focusing) (Catsimpoolas et al.) 357
For soybean trypsin inhibitor study (Catsimpoolas et al.) 136

Enzymatic hydrolysis of denatured proteins (Fukushima) 405
Enzymes
Allantoinase, from soybeans; purification and properties (Wang, Anderson) 656
Isoenzymes of wheat (Kruger, Tkachuk) 219
Lipase, of wheat; activity during germination (Drapron et al.) ... 647
Peroxidase; inactivation in corn processing (Gardner et al.) 626
Proteases, *see* main entry
Proteolytic, *see* **Proteases**
Thioglucosidase; activity in crambe seed meal, biological effect on rats (VanEtten et al.) 145

Errata
Bhatty, R. S. (Vol. 46, p. 74) 188
Catsimpoolas et al. (Vol. 46, p. 361) 559
Inkpen and Quackenbush (Vol. 46, p. 580) 663
Kitterman and Barmore (Vol. 46, p. 273) 418
Medcalf et al. (Vol. 45, p. 539) .. 188
Toepfer et al. (Vol. 46, p. 560) .. 663
VanEtten et al. (Vol. 46, p. 145) . 329
N-Ethylmaleimide, *see* **NEMI**

Farina from *Triticum aestivum*; detection in macaroni (García-Faure et al.) 621
Farinograph studies
Effect of air-classified high-protein fractions (Bean et al.) 27
With gliadin, gluten, starch mixture (Murthy, Dahle) 463
Fatty acids in wheat and products (Inkpen, Quackenbush) 580
Feed(s)
Amino acids in cereals and oilseed meals (Tkachuk, Irvine) 206
Oilseed meals; nitrogen-to-protein conversion factor (Tkachuk) 419
Fish protein concentrate (FPC); in pasta from corn, rice, soya, tapioca; cooking quality and nutritive value (Kwee et al.) 78
Flavor
Of bread; cracker-odor constituent (Hunter et al.) 189
Of soybeans; extraction and relation to lipid oxidation (Sessa et al.) .. 675
Flax; amino acids in (Tkachuk, Irvine) 206
Flour (wheat, unless otherwise specified)
Absorption; mathematical models for; starch damage and alpha-amylase as bases (Farrand) . 103
Air-classified fractions, Kansas HRW wheat; baking quality of (Bean et al.)
high-protein 27
low-protein 35
Amylase (alpha-) activity in; viscometric method for measuring in small samples (Tipples) 589
Aqueous extract of; effect on gliadin, glutenin, starch system (Murthy, Dahle) 463
Ash, damaged-starch, protein, viscosity relationships in sedimentation test (Kitterman, Barmore) 281
Atta (Indian) (long-extraction), effect of lysine fortification (Matthews et al.) 14
Biochemical and breadmaking properties of components (Shogren et al.) 93
Corn, rice, soya, tapioca, used for FPC-enriched pasta (Kwee et al.) . 78
Damaged starch in
colorimetric detn. (Williams, F Fegol) 56
determination (Donelson, Yamazaki) 567
Fractionation into gluten, starch, water-solubles; reconstitution (Hoseney et al.) 126
Fractions of
effect on MacMichael viscosity (S(Sollars) 44
wheat protease study (Kaminski, B Bushuk) 317
Hemicelluloses of; phys.-chem. properties (Cole) 382
Improvers, *see* **Flour improvers**
Lipids in; sepn. and baking properties (Ponte, De Stefanis) .. 325
Nutrient composition of; tocopherols (Slover et al.) 635
Nutrient composition study (Toepfer et al.) 560
Nutritive composition; vitamin B-6 components (pyridoxine, -al, -amine) (Polansky, Toepfer) 664
Particle size of; colorimetric detn. of damaged starch (Williams, Fegol) 56
Proteins in; changes during dough mixing vs. oxidizing and reducing agents (Tsen) 435
For protein variation in endosperm (Kent, Evers) 293
Proteolytic enzymes in (Wang, Grant) 537
Soy, see under **Soybean(s) and products**
From Triticum aestivum; detection in macaroni (García-Faure et al.) . 621
Water-solubles of; role in breadmaking (Hoseney et al.) ... 117

Flour improvers; iodoacetic acid-2-^{14}C for study of action (Tkachuk) 203
Fortification; detn. of lysine and methionine (free) in amino acid-fortified wheat (Ferrel et al.) 614

Fractionation
Of corn endosperm proteins by density gradient centrifugation (Christianson et al.) 372
Of flour (s*see also under* r **Flour**, Fractions of)
gel filtration (Wang, Grant) 537
for lipid extraction (Hoseney et al.) 606
Of wheat protein by 70% ethyl alcohol and dilute lactic acid (Hoseney et al.) 495
Fractions, mill; from lab. milling of sorghum (Rooney, Sullins) 486
Freezing
Of wheat; improving nutritional availability for chicks (El-Lakany et al.) 301
Functional (breadmaking) and biochemical properties of wheat flour components (a series):
I (Shogren et al.) 93
II (Hoseney et al.) 117
III(Hoseney et al.) 126
IV (Hoseney et al.) 495
V (Hoseney et al.) 606

Gas production; effect of water-saturated butanol on (Hoseney et al.) 606
Gliadin; modification with SH-blocking and SS-cleaving agents (Murthy, Dahle) 463
Gliadin and gluten, role in breadmaking (Hoseney et al.) ... 495
Globulins
Of corn; in extracts of grain parts (Paulis, Wall) 263
Of soybeans; nomenclature (Catsimpoolas) 369
Glucose; hydroxyethyl groups, distribution in starch (Bollenback et al.) 304
Gluten
Biochemical and breadmaking properties (Shogren et al.) 93
Effect on MacMichael viscosity (Sollars) 44
Fractionation by centrifugation (Hoseney et al.) 126
Fractionation, solubilization (Shogren et al.) 93
Rheology of (Muller) 443
Role of certain fraction in breadmaking (Hoseney et al.) ... 126
Solubilization (Shogren et al.) ... 93
Glutenin
In dough system (simplified) with gliadin, starch (Murthy, Dahle) .. 463
In wheat flour (proteolytic enzyme study) (Wang, Grant) 537
Glycolipids, *see* **Lipids**
(R)-Goitrin; method of preparation from crambe seed (VanEtten et al.) 145
Grain sorghum *see* **Sorghum**

Hardness of corn; measurement (Shelef, Mohsenin) 242
Heat-processing
Of corn; inactivation of peroxidase (Gardner et al.) 626
(Wet) Effect on PER of whole-wheat protein (Milner, Carpenter) 425
Heat-treatment
Parboiling of rice; effect of (Bhattacharya) 478
Of soybean 11S protein (denaturation) (Wolf, Tamura) .. 331
Hemicellulose(s), *see* **Polysaccharides**
Hydration, of soybeans; vs. composition of soy milk (Wilkens, Hackler) 391

Immunochemical analysis on soluble proteins of wheat (Piazzi, Cantagalli) 642
Immunochemistry; study of soybean trypsin inhibitor, SBTIA-2 (Catsimpoolas et al.) 136
Improving breadmaking properties with glycolipids (a series):
I Soy products, with sucroesters (Pomeranz et al.) 503
II Protein-enriched products (Pomeranz et al.) 512
Isoelectric focusing; for sepn. of soybean whey proteins (Catsimpoolas et al.) 357

Kafirin, *see* **Sorghum**
Kinetics of free-radical formation in starch derivatives (Thomson et al.) 310

Leucoanthocyanins in soybean flakes, defatted; detection of (Wang et al.) 468
Levoglucosan in corn syrups, gas-chrom. detn. (Kheiri, Birch) 400
Lipase, *see* **Enzymes**
Lipids
Fractionation of, technique for (Ponte, De Stefanis) 325
Glycolipids: breadmaking properties improved with (Pomeranz et al.)
protein-enriched products 512
soy products 503
Lipase activity in wheat during germination (Drapron et al.) 647
Oxidation of in soybeans (Sessa et al.) 675
Role of flour lipid fractions in breadmaking (Hoseney et al.) ... 606
In soy milk; composition of, vs. processing conditions (Wilkens, Hackler) 391
Starch-complexed; extraction differences with solvents (Rogols et al.) 181
Lipolysis; microorganisms in soybean seeds (Kennedy) 70
Lysine
Analysis, survey hydrolysis procedure for (Palter, Kohler) ... 22
(Free) Detn. in amino acid-fortified wheat (Ferrel et al.) 614
Fortifying Indian flour (atta) (Matthews et al.) 14
In whole wheat; availability (Milner, Carpenter) 425

Macaroni, *see* **Pasta products**
Malto-oligosaccharides, *see under* **Carbohydrates**
Mathematical models, for flour absorption; starch damage and alpha-amylase as bases for (Farrand) 103
Meal; corn, *see under* **Corn**
Metabolizable energy (ME)
Of wheat (for chicks); improved by autoclaving and freezing (El-Lakany et al.) 301
Methods
Breadmaking with 10 g. flour (Shogren et al.) 93
Colloid-titration, for charges of protein and starch (Takeuchi) ... 570
Colorimetric detn. of damaged starch in flour (Williams, Fegol) 56
Hydrolysis (survey) for lysine analysis (Palter, Kohler) 22
Lab. dry-milling of sorghum grain (Rooney, Sullins) 486
Sedimentation test (micro) for early-generation wheat screening (Kitterman, Barmore) 273
Sepn. of flour lipids (Ponte, De Stefanis) 325
Tristimulus, for color detn. in spaghetti (Walsh et al.) 7
Viscometric, for measuring alpha-amylase activity in small samples of wheat and flour (Tipples) 589

Microorganisms, lipolytic, in soybean seeds; presence and detection (Kennedy) 70
Mycotoxins: aflatoxin
In corn and soybeans; survey for presence (Shotwell et al.) 454
In corn tortillas; decomposition in process (Ulloa-Sosa, Schroeder) .. 397
In oats, sorghum, wheat; survey for presence (Shotwell et al.) 446
Millet; amino acids in (Tkachuk, Irvine) 206

Millfeeds
Crambe seed meal
biological effect of modified meals by rat feeding, and protein efficiency of lab.-processed meal (VanEtten et al.) 145
Sorghum grain products; amino acid and nutritive value (Shoup et al.) . 164
Rice bran, etc., amino acids in (Houston et al.) 527
Milling, of rice; breakage during (Bhattacharya) 478
Milling, experimental
Of sorghum grain; method (Rooney, Sullins) 486
Of sorghum grain products; for amino acid and nutritive value study (Shoup et al.) 164
Of wheat; micro sedimentation test (Kitterman, Barmore) 273

Milo
Lysine in; survey hydrolysis procedure for analysis (Palter, Kohler) 22
Pigments in (Nip, Burns) 490
Moisture, in corn; effect on mechanical properties (Shelef, Mohsenin) 242
Mustard, yellow; amino acids in (Tkachuk, Irvine) 206

NEMI-1-^{14}C; for SH groups in dough (study) (Lee, Lai) 598
Nitrogen
Protein conversion factor for cereals and oilseeds (Tkachuk) 419
Recovery (%) from cereals and oilseed meals (Tkachuk, Irvine) ne) 206

Nomenclature for soybean globulins (Catsimpoolas) 369
Nutrient composition of wheat, flour, and wheat products: tocopherols (Slover et al.) 635
Nutrient composition of selected wheats and wheat products (a series):
I (Toepfer et al.) 560
III (Slover et al.) 635
IV (Polansky, Toepfer) 664
Nutritive value (protein quality)
Of bulgur (Milner, Carpenter) 425
Of crambe seed meal (detoxified) by protein efficiency tests (VanEtten et al.) 145
Of pasta from corn, rice, soya, tapioca, FPC-enriched (Kwee et al.) 78
Of protein (whole-wheat) vs. wet heat-processing (Milner, Carpenter) 425

Of sorghum grain milled products (Shoup et al.) 164
Of soybeans (Eldridge, Wolf) 470
Of triticale, wheat, rye (Knipfel) .. 313
Of wheat (for chicks); improved by autoclaving and freezing (El-Lakany et al.) 301
Of wheats and products; vitamin B-6 components (Polansky, Toepfer) 664

Oats
Aflatoxin in; survey for presence (Shotwell et al.) 446
Amino acid composition (Tkachuk, Irvine) 206
Oil(s), corn; analysis vs. storage condition (Black et al.) 63
Oilseed meals (*see also* **Feeds**); nitrogen-to-protein conversion factor (Tkachuk) 419
Ottawa electronic recording dough mixer (a series):
VI (Voisey et al.) 196
Oxidizing and reducing agents; effects of, on changes of flour proteins during dough mixing (Tsen) 435

Parboiling, *see* **Heat-treatment**
Pasta products
From corn, rice, soya, tapioca, FPC-enriched; cooking quality and nutritive value (Kwee et al.) 78
Macaroni; nutrient composition study (Toepfer et al.) 560
Spaghetti; color detn. by tristimulus method (Walsh et al.) 7
Spaghetti tenderness testing apparatus (Matsuo, Irvine) 1
Pentosans
Effect on MacMichael viscosity (water-soluble portion) (Sollars) . 44
Water-insoluble, *see* **Polysaccharides**
Pigment characterization in grain sorghum (a series):
I (Nip, Burns) 490
Pigments in sorghum (red varieties) (Nip, Burns) 490
Polypeptide, in crambe seed (crambin); biological effect by rat feeding (VanEtten et al.) 145
Polysaccharides, hemicelluloses of flour; some phys.-chem. properties (Cole) 382
Popcorn, *see under* **Corn**
Potato starch, *see* **Starch**, Potato
Premixes; nutrient composition study (Toepfer et al.) 560
epi-**Progoitrin** and hydrolysis products; biological effects by rat feeding (VanEtten et al.) 145
Protein Efficiency Ratio (PER), *see* **Nutritive value**
Protease(s)
In barley (germinating); note on development (Bhatty) 74
Of wheat; sepn. and detection (Kaminski, Bushuk) 317
In wheat flour (Wang, Grant) 537
Protein(s) (*see also* individual proteins in main entries)
Albumins and globulins in extracts of corn grain parts (Paulis, Wall) . 263
Of corn; subcellular particulate isolation by zonal centrifugation (Christianson et al.) 372
Of corn endosperm (normal and high-lysine), subcellular structure of (Wolf et al.) 253

In corn germ and endosperm, extraction (Paulis, Wall) 263
In durum and common wheats; differences (García-Faure et al.) . 621
In flour:
vs. ash, viscosity, damaged starch in sedimentation test (Kitterman, Barmore) 281

effects of oxidizing and reducing agents during dough mixing (Tsen) 435
gliadin, glutenin in simplified dough system, with starch (Murthy, Dahle) 463
solubilization; detn. of biochemical and breadmaking properties (Shogren et al.) 93
Glutelin in corn endosperm; new method of isolation (Christianson et al.) 372
Kafirin, in sorghum (alcohol-soluble) (Sastry, Virupaksha) 284
Nitrogen-to-protein conversion factor for cereals and oilseeds (Tkachuk) 419
Quality of (PER) in triticale, wheat, rye (Knipfel) 313
Of soybeans and products
flour; denaturation by water and organic solvents, and mechanisms (Fukushima) 156
heat-denaturation and enzymatic hydrolysis (Fukushima) 405
(11S) heat-denaturation (Wolf, Tamura) 331
saponins from; purification (Eldridge, Wolf) 344
soy milk; processing conditions vs. composition (Wilkens, Hackler) 391
trypsin inhibitor (Eldridge, Wolf) 470
whey; sepn. by isoelectric focusing (Catsimpoolas et al.) 357
Of wheat; soluble; immunochemical analysis (Piazzi, Cantagalli) 642
In wheat endosperm, variation in composition (Kent, Evers) 293
Whole wheat
effect of wet heat-processing (Milner, Carpenter) 425
nutritive value for rats and chicks (Milner, Carpenter) 425
Protein concentrates; improving breadmaking properties with glycolipids (Pomeranz et al.) 512
Protein-enriched products; improved for breadmaking with glycolipids (Pomeranz et al.) 512
Protein-starch interaction by electrostatic force (Takeuchi) ... 570
Pyridoxine, -al, -amine; in wheat and wheat products (Polansky, Toepfer) 664

Radicals, free, in starch derivatives (Thomson et al.) 310
Radioactivity studies
Iodoacetic acid-2-^{14}C for study of flour improver action 203
NEMI-1-^{14}C; SH groups in dough (Lee, Lai) 598
Rapeseed; amino acids in (Tkachuk, Irvine) 206
Reactions of oligosaccharides (a series):
II (Commerford, Scallet) 172
Recording dough mixer; differences between bowls (Voisey et al.) ... 196
Reducing and oxidizing agents; effects of, on changes of flour proteins during dough mixing (Tsen) 435
Rice
Amino acids in (Houston et al.) .. 527
Breakage during milling, and effect of parboiling (Bhattacharya) 478
Flour, for FPC-enriched pasta; study of cooking quality and nutritive value (Kwee et al.) 78
Rice by-products; amino acids in bran, polish, hulls, high-protein flour, millfeed (Houston et al.) .. 527
Rye
Amino acid composition (Tkachuk, Irvine) 206
Nutritive value (protein quality) of (Knipfel) 313

Safflower, lysine in; survey hydrolysis procedure for analysis (Palter, Kohler) 22
Saponins from soybean protein (Eldridge, Wolf) 344
Sedimentation test
Modified, micro, for screening early-generation wheat selections (Kitterman, Barmore) 273
Protein, ash, viscosity, and damaged-starch relationships (Kitterman, Barmore) 281

Sensory tests, *see* **Taste panel testing**
Solvents
Denaturing power of, for soybean proteins (Fukushima) 156
For lipids (starch-complexed); extraction differences (Rogols et al.) 181
Sorghum
Aflatoxin in; survey for presence (Shotwell et al.) 446
Kafirin, alcohol-soluble protein of endosperm; electrophoretic study (Sastry, Virupaksha) 284
Method for lab. milling of (Rooney, Sullins) 486
Nutritive value of milled products (Shoup et al.) 164
(Milo) Micro structure of 227
Pigments in red varieties (Nip, Burns) 490

Sorghum grain, *see* **Sorghum**
Soyasapogenol(s), see **Soybean(s) and products**, Saponins from
Soy milk, *see under* **Soybean(s) and products**
Soybean(s) and products
Aflatoxin in; survey for presence (Shotwell et al.) 454
Allantoinase of, purification and properties (Wang, Anderson) ... 656
Amino acids in (Tkachuk, Irvine) . 206
Antitryptic activity of samples (Kakade et al.) 518
Flakes, defatted; detection of leucoanthocyanins in (Wang et al.) 468
Flour; breadmaking properties improved with sucroesters (Pomeranz et al.) 503
Globulins of, nomenclature (Catsimpoolas) 369
Lipid oxidation in, full-fat and defatted, vs. flavor (Sessa et al.) 675
Lipolytic microorganisms in seeds; presence and detection (Kennedy) 70
Proteins of; *see under* **Protein(s)**, Of soybeans and products
Pasta from; nutritive value (FPC-enriched) (Kwee et al.) 78
Saponins from (Eldridge, Wolf) .. 344
Soy flour, for FPC-enriched pasta; cooking quality and nutritive value (Kwee et al.) 78
Soy milk; processing conditions vs. composition (Wilkens, Hackler) .. 391
Sugars in; decomposition during denaturing treatments (Fukushima) 405
Trypsin inhibitor of (Eldridge, Wolf) 470
Trypsin inhibitor SBTIA-2 (Catsimpoolas et al.) 136
Spaghetti, *see* **Pasta products**
Starch
Baking quality of, in HRW wheat (Bean et al.)
high-protein 27
low-protein 35
Corn
acid and enzyme conversion of (Kheiri, Birch) 400
enzymatic detn. (Donelson, Yamazaki) 568
hydroxyethyl; distribution of groups in (Bollenback et al.) ... 304
Damage(d)
and alpha-amylase as bases for mathematical models for flour absorption (Farrand) 103
detn. in high-damage flour and starch (Donelson, Yamazaki) .. 567
in flour, vs. ash, protein, viscosity in sedimentation test (Kitterman, Barmore) 281
in flour, colorimetric detn. (Williams, Fegol) 56
In dough system (simplified) with gliadin and glutenin (Murthy, Dahle) 463
Effect on MacMichael viscosity (Sollars) 44
Gelatinization of, in popped cereals (Reeve, Walker) 227
Granular, heterogeneous reactions with HCl and Cl_2 (Thomson et al.) 310
Potato, free radicals in derivatives (Thomson et al.) 310
Statistical theory of rubber elasticity, applied to gluten and dough (Muller) 443
Storage studies
Corn; effect of condition on oil analysis of milled fraction (Black et al.) 63
Soybeans; lipolytic microorganisms in (Kennedy) 70
Structure, microscopic
Of corn endosperm, normal and high-lysine (Wolf et al.) 253
Of corn protein bodies (Christianson et al.) 372
Of popped cereals (Reeve, Walker) 227
Studies with radioactive tracers (a series):
XV (Lee, Lai) 598
Sucroesters and sucroglycerides
Breadmaking properties improved with (Pomeranz et al.)
protein-enriched products 512

soy products 503
Sugars, *see* **Carbohydrates**
Sulfhydryls
NEMI-1-^{14}C study of groups in dough (Lee, Lai) 598
Radiochemical detn. (Lee, Lai) ... 598
Sulfhydryl compounds; effect of cysteine (Wang, Grant) 537
Sulfhydryl content of gliadin (Murthy, Dahle) 463
Sulfhydryl peptide, cysteinylglycine (Tkachuk) 203
Sulfhydryl-disulfide interchange; NEMI-1-^{14}C study (Lee, Lai) ... 598
Sunflower seeds; amino acids in (Tkachuk, Irvine) 206
Survey of cereal grains and soybeans for the presence of aflatoxin (a series):
I (Shotwell et al.) 446
II (Shotwell et al.) 454
Syrup, corn; characterization by gas chromatography; and levoglucosan content, index to method of manufacture (Kheiri, Birch) 400

Tailings; effect on MacMichael viscosity (Sollars) 44
Tapioca flour, for FPC-enriched pasta; study of cooking quality and nutritive value (Kwee et al.) . 78
Taste panel testing
Angel cakes with dried albumen (Franks et al.) 349
Bread (yeast) and chapatties, for effect of lysine fortification on quality (Matthews et al.) 14
Tempering of corn; various moisture contents (Brekke, Kwolek) 545
Tenderness Index, spaghetti; apparatus for test (Matsuo, Irvine) 1
1,4,5,6-Tetrahydro-2-acetopyridine, cracker-odor constituent of bread aroma; prepn. and properties (Hunter et al.) 189

Thioglucosidase, *see* **Enzymes**
Tocopherols, in nutrient composition of wheat and wheat products (Slover et al.) 635
Tortillas; decomposition of aflatoxins in making of (Ulloa-Sosa, Schroeder) 397
Toxins; aflatoxins in corn tortillas, decomposing in process (Ulloa-Sosa, Schroeder) 397
Trimethylsilyl derivatives of corn syrups (Kheiri, Birch) 400
Tristimulus method for color detn. in spaghetti (Walsh et al.) 7
Triticale; nutritive value (protein quality) of (Knipfel) 313
Trypsin inhibitor
Of soybeans (Eldridge, Wolf) 470
Substrates for measuring activity in soybeans (Kakade et al.) 518

Viscosity in flour; vs. ash, protein, damaged starch in sedimentation test (Kitterman, Barmore) 281
Viscosity, MacMichael; flour constituents affecting (Sollars) .. 44
Vitamin B-6; components in wheat and products (pyridoxine, -al, -amine) (Polansky, Toepfer) 664

Water-solubles, wheat flour; fractionation and electrophoretic characterization, and role in breadmaking (Hoseney et al.) ... 117
Wheat
Aflatoxin in; survey for presence (Shotwell et al.) 446
(HRS) Alpha-amylases of; isolation (Kruger, Tkachuk) 219
Amylase (alpha-) activity in; viscometric method for measuring in small samples (Tipples) 589
Amino acid composition (Tkachuk, Irvine) 206
Bound lipids in; and method for interaction of lipids from lipids, quantitative removal (Inkpen, Quackenbush) 580
(HRS) Carbohydrates of (Saunders, Walker) 85
(HRW) Endosperm of, variation in protein composition (Kent, Evers) 293
(HRW) High- and low-protein; baking qual. of air-classified flour fractions (Bean et al.) 27
Lipase activity in during germination (Drapron et al.) 647
Lysine in; survey hydrolysis procedure for analysis (Palter, Kohler) 22

Lysine fortification (possible) for export (Matthews et al.) 14
Nutrient composition of; tocopherols (Slover et al.) 635
Nutrient composition study (Toepfer et al.) 560
Nutrient utilization improved (for chicks) by autoclaving and freezing (El-Lakany et al.) 301
(Durum, hard) Nutritive composition; vitamin B-6 components (Polansky, Toepfer) . 664
(HRS) Nutritive value (protein quality) of (Knipfel) 313
Popped, micro structure (Reeve, Walker) 227
(HRS) Proteases of; sepn. and detection by starch-gel electrophoresis (Kaminski, Bushuk) 317
(HRW) Protein of; effect of wet heat-processing on nutritive value (Milner, Carpenter) 425
(Italian durum and bread) Proteins (soluble) of; immunochemical analysis (Piazzi, Cantagalli) 642
Sedimentation test (micro) for early-generation screening (Kitterman, Barmore) 273
Wheat alpha-amylases (a series): I (Kruger, Tkachuk) 219
Wheat proteases (a series): I (Kaminski, Bushuk) 317
Wheat products
Fatty acid content of; chloroform-ethanol-water as lipid solvent (Inkpen, Quackenbush) .. 580
Nutrient composition of; tocopherols (Slover et al.) 635
Nutritive composition; vitamin B-6 components (Polansky, Toepfer) . 664
Zein; granules of in normal and high-lysine corn (Wolf et al.) 253

Cereal Chemistry

EDITORIAL POLICY

CEREAL CHEMISTRY publishes scientific papers dealing with raw materials, processes, or products of the cereal, oil seeds, pulse, and related industries, or with analytical procedures, technological tests, or fundamental research related thereto. Papers must be based on original investigations, not previously described elsewhere, which make a definite contribution to existing knowledge.

CEREAL CHEMISTRY gives preference to suitable papers submitted by members of the American Association of Cereal Chemists. When space permits, papers are accepted from other scientists throughout the world.

The papers must be written in English and must be clear, concise, and styled for CEREAL CHEMISTRY, according to any recent issue.

EDITORIAL PAGE CHARGE. A publication service charge—the page charge—is designed to aid in covering part of the cost of publishing your article in this journal. Increasing printing costs and volume of new manuscripts make it impossible for the Association to keep up with demand for journal space without some financial assistance from research sponsors. It is expected that the amount of $18.00 per printed page for your article is to be paid from funds made available by your company, institution, or sponsor of the research. Payment of this charge is not a condition for publication. Articles are accepted or rejected only on the basis of merit. *However, in the event your research sponsor will not honor the page charge, a letter to that effect from your administrative officer must accompany the submission of your manuscript.*

Mailing directions: Send manuscripts, corrected proof, and ALL correspondence to:
American Association of Cereal Chemists
1821 University Ave.
St. Paul, Minn. 55104

Manuscripts of published papers will be kept on file for one year. After that time they will be destroyed unless other instructions have been received from the author. Original graphs, etc., and negatives of all illustrations are returned to the author after publication upon request.

CEREAL CHEMISTRY

Published by The American Association of Cereal Chemists, Inc.

Scientific Editor ..... WELKER G. BECHTEL
Managing Editor ..... MERRILL J. BUSCH
Business Manager ..... RAYMOND J. TARLETON
Assistant Editor ..... EUNICE R. BROWN

Board of Editors:

L. K. DAHLE
K. J. GOERING
F. N. HEPBURN
W. J. HOOVER
W. W. LUCHSINGER
RUTH H. MATTHEWS
J. D. MULLEN
C. C. NIMMO
J. G. PONTE, JR.
L. W. ROONEY
L. D. SIBBITT
A. K. SMITH
R. J. TENNEY
K. TIPPLES
F. VIDAL
H. F. ZOBEL

VOLUME 46, NOS. 1–6
JANUARY–NOVEMBER, 1969

St. Paul, Minnesota
1969

North Central Publishing Co.
St. Paul, Minnesota

CONTENTS

VOLUME 46, NUMBER 1, JANUARY 1969

PAGE

Spaghetti Tenderness Testing Apparatus. *R. R. Matsuo and G. N. Irvine* 1
Color Determination of Spaghetti by the Tristimulus Method. *D. E. Walsh, K. A. Gilles, and W. C. Shuey* 7
Effect of Lysine Fortification on Quality of Chapatties and Yeast Bread. *Ruth H. Matthews, Gary Richardson, and Harold Lichtenstein* 14
Survey Hydrolysis Procedure for Lysine Analysis. *Rhoda Palter and George O. Kohler* 22
Baking Characteristics of High-Protein Fractions from Air-Classified Kansas Hard Red Winter Wheats. *Maura M. Bean, Elizabeth Erman, and D. K. Mecham* 27
Baking Characteristics of Low-Protein Fractions from Air-Classified Kansas Hard Red Winter Wheats. *Maura M. Bean, Elizabeth Erman, and D. K. Mecham* 35
Flour Constituents Affecting MacMichael Viscosity. *William F. Sollars* 44
Colorimetric Determination of Damaged Starch in Flour. *Philip C. Williams and K. S. W. Fegol* 56
Effects of Storage Condition on Oil Analysis of Milled Corn Fractions by Gas-Liquid Chromatography. *L. T. Black, G. G. Spyres, and O. L. Brekke* 63
Prevalence and Detection of Lipolytic Microorganisms in Soybean Seeds *B. W. Kennedy* 70
Note on the Development of Proteolytic Enzymes in Germinating Barley. *R. S. Bhatty* 74
Quality and Nutritive Value of Pasta Made from Rice, Corn, Soya, and Tapioca Enriched with Fish Protein Concentrate. *Wie Han Kwee, Virginia D. Sidwell, Robert C. Wiley, and O. A. Hammerle* 78
The Sugars of Wheat Bran. *Robin M. Saunders and H. G. Walker, Jr.* 85
Editorial Policy and Suggestions to Authors iii

VOLUME 46, NUMBER 2, MARCH 1969

Functional (Breadmaking) and Biochemical Properties of Wheat Flour Components. I. Solubilizing Gluten and Flour Protein. *M. D. Shogren, K. F. Finney, and R. C. Hoseney* . 93
Starch Damage and Alpha-Amylase as Bases for Mathematical Models relating to Flour Water-Absorption. *E. A. Farrand* 103
Functional (Breadmaking) and Biochemical Properties of Wheat Flour Components. II. Role of Water-Solubles. *R. C. Hoseney, K. F. Finney, M. D. Shogren, and Y. Pomeranz* . 117
Functional (Breadmaking) and Biochemical Properties of Wheat Flour Components. III. Characterization of Gluten Protein Fractions Obtained by Ultracentrifugation. *R. C. Hoseney, K. F. Finney, M. D. Shogren, and Y. Pomeranz* 126
Immunochemical and Disc Electrophoresis Study of Soybean Trypsin Inhibitor SBTIA-2. *N. Catsimpoolas, D. A. Rogers, and E. W. Meyers* 136
Biological Evaluation of Crambe Seed Meals and Derived Products by Rat Feeding. *C. H. Van Etten, W. E. Gagne, D. J. Robbins, A. N. Booth, M. E. Daxenbichler, and I. A. Wolf* 145
Denaturation of Soybean Proteins by Organic Solvents. *Danji Fukushima* 156
Amino Acid Composition and Nutritional Value of Milled Sorghum Grain Products. *F. K. Shoup, C. W. Deyoe, J. Campbell, and D. B. Parrish* 164

Reactions of Oligosaccharides. II. Dextrose Equivalents. *J. D. Commerford and B. L. Scallet* . . . 172
Thin-Layer Chromatography of Malto-Oligosaccharides. *Peter Haytko, Robert Burns, and C. Edwin Weill* . . . 177
Starch-Complexed Lipids: Differences in Extraction with Various Solvents. *S. Rogols, J. E. Green and Mary A. Hilt* . . . 181
Preparation and Properties of 1, 4, 5, 6-Tetrahydro-2-Acetopyridine, A Cracker Odor Constituent of Bread Aroma. *Irving R. Hunter, Mayo K. Walden, James R. Scherer and Robert E. Lundin* . . . 189
The Ottawa Electronic Recording Dough Mixer. VI. Differences between Mixing Bowls. *Peter W. Voisey, H. Miller, and M. Kloek* . . . 196
Involvement of Sulfhydryl Peptides in the Improver Reaction. *Russell Tkachuk* . . . 203
Amino Acid Compositions of Cereals and Oilseed Meals. *R. Tkachuk and G. N. Irvine* . . . 206
Wheat Alpha-amylases. I. Isolation. *J. E. Kruger and R. Tkachuk* . . . 219
Errata . . . 188
Editorial Policy and Suggestions to Authors . . . ii

VOLUME 46, NUMBER 3, MAY 1969

The Microscopic Structure of Popped Cereals. *Roger M. Reeve and H. G. Walker, Jr.* . . . 227
Effect of Moisture Content on Mechanical Properties of Shelled Corn. *Leora Shelef and Nuri N. Mohsenin* . . . 242
Distribution and Subcellular Structure of Endosperm Protein in Varieties of Ordinary and High-Lysine Maize. *M. J. Wolf, U. Khoo, and H. L. Seckinger* . . . 253
Albumins and Globulins in Extracts of Corn Grain Parts. *J. W. Paulis and J. S. Wall* . . . 263
A Modified Micro Sedimentation Test for Screening Early-Generation Wheat Selections. *J. S. Kitterman and M. A. Barmore* . . . 273
A Note on Some Protein, Ash, Viscosity, and Damaged-Starch Relationships in the Sedimentation Test. *J. S. Kitterman and M. A. Barmore* . . . 281
Alcohol-Soluble Proteins of Grain Sorghum. *L. V. S. Sastry and T. K. Virupaksha* . . . 284
Variation in Protein Composition within the Endosperm of Hard Wheat. *N. L. Kent and A. D. Evers* . . . 293
Improved Nutrient Utilization from Wheat Subjected to Autoclaving and Freezing. *Safaa El Lakany, Jacob Biely, and B. E. March* . . . 301
Distribution of Hydroxyethyl Groups in Hydroxyethyl Starch. *G. N. Bollenback, R. S. Golik, and F. W. Parrish* . . . 304
Note on Free Radicals in Starch Derivatives. *Tom R. Thomson, Gary L. Loper, and George A. Bulow* . . . 310
Comparative Protein Quality of Triticale, Wheat, and Rye. *J. E. Knipfel* . . . 313
Wheat Proteases. I. Separation and Detection by Starch-Gel Electrophoresis. *E. Kaminski and W. Bushuk* . . . 317
Note on the Separation and Baking Properties of Polar and Nonpolar Wheat Flour Lipids. *J. G. Ponte, Jr., and V. A. De Stefanis* . . . 325
Erratum (Vol. 46, p. 145, VanEtten *et al.*) . . . 329
Editorial Policy and Suggestions to Authors . . . 330

VOLUME 46, NUMBER 4, JULY 1969

CONTENTS **PAGE**

Heat Denaturation of Soybean 11S Protein. *W. J. Wolf and T. Tamura* . . . 331

Crystalline Saponins from Soybean Protein. *A. C. Eldridge and W. J. Wolf* 344
Angel Cakes Using Frozen, Foam-Spray-Dried, Freeze-Dried, and Spray-Dried Albumen. *Onolee J. Franks, Mary E. Zabik, and Kaye Funk* 349
Separation of Soybean Whey Proteins by Isoelectric Focusing. *Nicholas Catsimpoolas, C. Ekenstam, and E. W. Meyer* 357
A Note on the Proposal of an Immunochemical System of Reference and Nomenclature for the Major Soybean Globulins. *Nicholas Catsimpoolas* 369
Isolation and Chemical Composition of Protein Bodies and Matrix Proteins in Corn Endosperm. *D. D. Christianson, H. C. Nielson, U. Khoo, M. J. Wolf, and J. S. Wall* 372
Some Physiochemical Properties of Wheat Flour Hemicellulose in Solution. *Earl W. Cole* ...382
Effect of Processing Conditions on the Composition of Soy Milk. *W. F. Wilkens and L. R. Hackler* 391
Note on Aflatoxin Decomposition in the Process of Making Tortillas from Corn. *M. Ulloa-Sosa and H. W. Schroeder* 397
Gas-Chromatographic Determination of Levoglucosan in Corn Syrups and its Significance in Assessing their Method of Manufacture. *M.S.A. Kheiri and G. G. Birch* 400
Enzymatic Hydrolysis of Alcohol-Denatured Soybean Protein. *Danji Fukushima* 405
Nitrogen-to-Protein Conversion Factors for Cereals and Oilseed Meals. *R. Tkachuk* 419
Erratum 418
Editorial Policy and Suggestions to Authors 424

VOLUME 46, NUMBER 5, SEPTEMBER 1969

CONTENTS PAGE

Effect of Wet Heat-Processing on the Nutritive Value of Whole-Wheat Protein. *C. K. Milner and K. J. Carpenter* 425
Effect of Oxidizing and Reducing Agents on Changes of Flour Proteins during Dough Mixing. *C. C. Tsen* 435
Application of the Statistical Theory of Rubber Elasticity to Gluten and Dough. *H. G. Muller* 443
Survey of Cereal Grains and Soybeans for the Presence of Aflatoxin. I. Wheat, Grain Sorghum, and Oats. *Odette L. Shotwell, C. W. Hesseltine, H. R. Burmeister, W. F. Kwolek, Gail M. Shannon, and H. H. Hall* 446
Survey of Cereal Grains and Soybeans for the Presence of Aflatoxin. II. Corn and Soybeans. *Odette L. Shotwell, C. W. Hesseltine, H. R. Burmeister, W. F. Kwolek, Gail M. Shannon, and H. H. Hall* 454
Studies on a Simplified Dough System Composed of Gliadin, Glutenin, and Starch. *P. R. Murthy and L. K. Dahle* 463
A Note on the Detection of Leucoanthocyanins in Defatted Soybean Flakes. *L. C. Wang, A. K. Smith, and J. C. Cowan* 468
Polyacrylamide-Gel Electrophoresis of Reduced and Alkylated Soybean Trypsin Inhibitors. *A. C. Eldridge and W. J. Wolf* 470
Breakage of Rice during Milling, and Effect of Parboiling. *Kshirod Ranjan Bhattacharya* 478
A Laboratory Method for Milling Small Samples of Sorghum Grain. *L. W. Rooney and R. D. Sullins* 486
Pigment Characterization in Grain Sorghum. I. Red Varieties. *W. K. Nip and E. E. Burns* 490

Functional (Breadmaking) and Biochemical Properties of Wheat Flour Components. IV. Gluten Protein Fractionation by Solubilizing in 70% Ethyl Alcohol and in Dilute Lactic Acid. *R. C. Hoseney, K. F. Finney, Y. Pomeranz, and M. D. Shogren* 495
Improving Breadmaking Properties with Glycolipids. I. Improving Soy Products with Sucroesters. *Y. Pomeranz, M. D. Shogre , and K. F. Finney* 503
Improving Breadmaking Properties with Glycolipids. II. Improving Various Protein-Enriched Products. *Y. Pomeranz, M. D. Shogren, and K. F. Finney* 512
An Evaluation of Natural vs. Synthetic Substrates for Measuring the Antitryptic Activity of Soybean Samples. *M. L. Kakade, Nancy Simons, and I. E. Liener* 518
Amino Acid Composition of Rice and Rice By-Products. *D. F. Houston, Marion E. Allis, and G. O. Kohler* 527
The Proteolytic Enzymes in Wheat Flour. *C. C. Wang and D. R. Grant* 537
Corn Dry-Milling: Cold-Tempering and Degermination of Corn of Various Initial Moisture Contents. *O. L. Brekke and W. F. Kwolek* 545
Erratum (Vol. 46, p. 361, Catsimpoolas *et al.*) 559
Nutrient Composition of Selected Wheats and Wheat Products. I. Description of Samples. *E. W. Toepfer and Elizabeth M. Hewston* 560
Note on the Application of Donelson-Yamazaki Damaged-Starch Procedure to High-Damage Wheat Flour and Starch. *J. R. Donelson and W. T. Yamazaki* 567
Note on the Enzymatic Determination of Starch in Corn Starch and Corn Meal. *J. R. Donelson and W. T. Yamazaki* 568
Interaction between Protein and Starch. *Itsuo Takeuchi* 570
Extractable and "Bound" Fatty Acids in Wheat and Wheat Products. *James A. Inkpen and Forrest W. Quackenbush* 580
Editorial Policy and Suggestions to Author 588

VOLUME 46, NUMBER 6, NOVEMBER 1969

A Viscometric Method for Measuring Alpha-Amylase Activity in Small Samples of Wheat and Flour. *K. H. Tipples* 589
Studies with Radioactive Tracers. XV. Some Observations on the Sulfhydryl Groups in Dough. *C. C. Lee and Tzen-Son Lai* 598
Functional (Breadmaking) and Biochemical Properties of Wheat Flour Components. VI. Role of Total Extractable Lipids. *R. C. Hoseney, K. F. Finney, Y. Pomeranz, and M. D. Shogren* 606
Determination of Free Lysine and Methionine in Amino Acid-Fortified Wheat. *R. E. Ferrel, D. A. Fellers, and A. D. Shepherd* 614
Detection of Flour or Farina from *Triticum aestivum* in Macaroni, by Starch-Gel Electrophoresis of Water-Soluble Proteins. *R. Garcia-Faure, J. G. Merck-Luengo, and F. Garcia-Olmedo* 621
Inactivation of Peroxidase as a Function of Corn Processing. *H. W. Gardner, G. E. Inglett, and R. A. Anderson* 626
Nutrient Composition of Selected Wheats and Wheat Products. III. Tocopherols. *H. T. Slover, Joanna Lehmann, and Robert J. Vallis* 635
Immunochemical Analysis on Soluble Proteins of Wheat. *S. E. Piazzi and P. Cantagalli* 642

Development and Distribution of Wheat Lipase Activity during the Course of Germination. *R. Drapron, N'Guyen Xuan Anh, B. Launay, and A. Guilbot* 647
Purification and Properties of Soybean Allantoinase. *L. C. Wang and R. L. Anderson* 656
Errata (Vol. 46, p. 580, Inkpen and Quackenbush; Vol. 46, Table of Contents, Toepfer et al.) 663
Nutrient Composition of Selected Wheat and Wheat Products. IV. Vitamin B-6 Components. *Marilyn M. Polansky and E. W. Toepfer* 664
Lipid Oxidation in Full-Fat and Defatted Soybean Flakes as Related to Soybean Flavor. *D. J. Sessa, D. H. Honig, and J. J. Rackis* 675
Author and Subject Indexes for Volume 46 687
Editorial Policy 702